

Pigment Paste Manufacturer - Avail different types of color shades from Pink Rose. The below mentioned specify the details of the colors shades accessible with us.



	ROSELENE (Pigment Emulsion)			Fastness Properties							Fastness Dry cleaning with perchloroethylene (ISO-105-D01)	Hot Air Stability 150°C (DIN 54060)	C. I. NO.
	0.5%	2%	4%	Light Fastness ISO-105-B02			Watch 95°C (ISO- 105- CO4)	Hypochlorite Severe (ISO- 105D01)	Perspiration				
				1/6 SD	1/3 SD	1/1 SD			Acidic	Alkaline			
Yellow EF10G				7	7	7-8	4-5	4-5	4-5	4-5	1	5	Yellow 3
Yellow PR2G				7	7	7-8	4-5	5	4-5	4-5	2-3	5	Yellow 12
G. Yellow PRRM				2-3	4-5	5	4-5	4-5	4-5	4-5	2-3	4-5	-
Orange PRG				4-5	5-6	6-7	4-5	4-5	4-5	5	2-3	5	Orange 13
Orange EF5G				5	5-6	6	4-5	4-5	4-5	5	2-3	4-5	Orange 5
Red PRGR				4	5	5-6	4-5	5	5	5	2-3	5	Red 8
Red EFGR				5-6	6	6-7	4-5	4-5	5	5	4-5	5	Red 210
Rubine PRB				5-6	6	6-7	4-5	4-5	5-5	4-5	5	5	Red 32
Bordeaux PRB				5-6	6	6-7	4-5	4-5	5-5	4-5	5	5	Red 12
Pink PRB				6-7	7	7	4-5	1	5	5	5	5	Red 122
Red Violet PBR				6-7	7	7	4	5	5	5	5	5	Red 31
Violet PRR				6-7	7	7-8	5	5	5	5	4-5	5	Violet 23
Green PRG				7	7-8	7-8	4-5	4-5	5	5	2-3	5	Green 7
Green PR2G				6	7	7-8	4	4	5-5	4-5	5	5	-
Brown PRP				3	3-4	5	4-5	4-5	5	5	2-3	4-5	-
Blue PRB				6-7	7	7-8	5	5	5	5	4-5	5	Blue 15
Navy Blue PRB				6-7	7	7-8	5	5	5	5	4-5	5	-
Turq. Blue PRB				7	7	7-8	4-5	4-5	5	5	4-5	5	-

Black PRG				7-8	7-8	7-8	4-5	4-5	5	5	5	5	Black 7
Black PRG				7-8	7-8	7-8	4-5	4-5	5	5	5	5	Black 7

➤ Roselene Aqueous Based Printing Stock Paste

• Binders :-	10-20 parts
• Synthetic Thickener :-	1.5 parts
• Rheology Modifier :-	0.2-0.3 parts
• Urea :-	2 parts
• Water :-	Balance
• Liquid Ammonia :-	1.0 parts (pH 8.5)
• Print Feel Modifier :-	1.0 parts
	100 parts

**Manufacturer of
Pigments &
Manufacturer of
Pigments in Gujarat**

➤ Roselene Aqueous Based Printing Stock Paste

**Pigment Paste
Manufacturer &
Pigment
companies in
India**

• Binders :-	10 parts
• Emulsifier :-	1parts
• Urea :-	2 parts
• Water :-	7 parts
• Kerosene :-	80 parts
	100 parts

➤ Printing Paste

<ul style="list-style-type: none"> Roselene Pigment Emulsion :- Stock Paste :- <p>Print – Dry – Cure 150oC, 4-5min</p>	<p>X parts</p> <p>100-X parts</p> <p>100 parts</p>
--	--

Pigment Paste for Paper

➤ Printing Paste

Organic Pigments manufacturer & Supplier of paper Pigments

<ul style="list-style-type: none"> Roselene Pigment Emulsion :- Stock Paste :- 	<p>X parts</p> <p>100-X parts</p> <p>100 parts</p>
--	--

➤ Roselene Padding Method – Padding Liquor Stock Paste

<ul style="list-style-type: none"> Binders :- Water :- Roselene (pre-dissolved) :- Acetic Acid (30%) :- Ammonium Chloride (pre-dissolved) :- 	<ul style="list-style-type: none"> 20-80 gpl Balance X gpl 2-3 gpl 2-3 gpl 100 parts
---	--

Exporter of Pigment Paste & Pigment powder exporter